Sterile Processing Department



SATISFYING THE NEED FOR SPEED



LESS WAITING. **MORE** CONFIDENCE. **MULTI-**MODALITY.

Combining speed with safety and compliance delivers a calm, calculated composure between the SPD and Surgical teams that can only be achieved with results in hand.

Reduce calls from the OR asking when, reduce holding loads until results are known, reduce delays or cancellations to the hospital's busy schedule.



BREATHE A SIGH OF RELIEF... THE WAIT IS OVER.

Celerity[™] 20 STEAM Biological Indicator

20-MINUTE BI read for **VALIDATED STEAM** sterilization cycles.

Celerity® 20 STEAM BI for IUSS

Validated for monitoring Gravity IUSS Cycles

USES SAME Celerity STEAM Incubator



THE TIME IS NOW...

To lower the risk of emergency load releases

To reduce costs associated with additional set inventory

To minimize the chance of recalls when you have assurance in just 20 minutes

To maximize space and minimize waste



Celerity[™] 20 HP Biological Indicator

20-MINUTE BI read for use in V-PRO® Low Temperature Sterilizers and the STERRAD® NX System*, STERRAD® 100NX System and the STERRAD® 100S System.

*STERRAD is registered trademark of ASP Global Manufacturing, GmbH.

NO MORE WAIT AND SEE







InnovativeBl Design

Prongs that puncture cap seal

Vial containing *G.s.* spores

Glass-free design helps ensure staff safety



Sealed vial cap with media

Wrap around label on vial cap

PASS





FAIL


QUICK & EASY

Eliminate the need for additional steps. Simple twist and flick releases the media for incubation.

TWIST









Convenient. Easy. Innovative PCD with compact design

Patented PCD design allows for instant confirmation of chemical indicator results upon cycle completion.




- PCDs available for Gravity and Pre-vac/SFPP
- Less paper waste compared to standard test packs

The Simplicity of **Connectivity**

Seamlessly connect and get results from your Celerity Incubator with ConnectAssure Technology.

Whether data is sent to your facility's tracking system or to ConnectAssure's interface, your cycle information is available with the click of a mouse for essential compliance reporting.



Complete Portfolio of Biological Indicator Solutions

Celerity 20 STEAM PCD

Dynamic Air Removal (pre-vacuum & SFPP) Cycles

270° F / 132° C, 4 minutes 275° F / 135° C, 3 minutes

Gravity Cycles

250° F / 121° C, 30 minutes 270° F / 132° C, 15 minutes

Celerity 20 STEAM Biological Indicator

Dynamic Air Removal (pre-vacuum & SFPP) Cycles

270° F / 132° C, 4 minutes 275° F / 135° C, 3 minutes

Gravity Cycles

250° F / 121° C, 30 minutes 270° F / 132° C, 15 minutes

Celerity 20 STEAM BI FOR IUSS

Gravity Cycles

270° F / 132° C, 3 and 10 minutes 275° F / 135° C, 3 and 10 minutes

Validated Cycles for Celerity 20 HP Biological Indicators

V-PRO® Low Temperature Sterilizers Fast Cycle*
Fast Non Lumen Cycle**
Non Lumen Cycle
Lumen Cycle
Flexible Cycle

STERRAD[®] NX and 100NX (including models with ALLClear[™] Technology)

Standard Cycle — All Models

 ${\sf Advanced\ Cycle-STERRAD^{\scriptsize @}\ NX^{\tiny @}}$

STERRAD® 100S Systems

FLEX, Express and DUO Cycles — STERRAD® 100NX®

*Fast Cycle only available on V-PRO® s2 Low Temperature Sterilizer
**Fast Non Lumen Cycle available on V-PRO® maX2 Low Temperature Sterilizer



Monitor with confidence. Use the ready-to-go Celerity™ Xtend 10 Assembly in conjunction with the VERIFY® All-In-One STEAM Reusable Test Pack and get the **assurance you need monitoring extended cycles.**

- Quick assembly using the pre-packaged BI and CI
- Environmentally friendly paper-free design





Celerity™ Xtend 10 Assembly

Dynamic (pre-vacuum & SFPP) Air Removal Cycles

270° F / 132° C, 10 minutes

Peace of mind from a complete portfolio of sterility assurance solutions



VHP	PRODUCT NAME	SKU	QUANTITY
Celetriy ** WRIZIZ Celetriy ** WRIZIZ REE! LEAVA LOTTIN 200112	Celerity [™] 20 HP Biological Indicator	LCB044	25/box
Socool &	Celerity [™] HP Incubator	LCB046	1 each
Control Cont	Celerity™ HP Chemical Indicator	PCC075	200/box
STEAM	PRODUCT NAME	SKU	QUANTITY
Celerity SEG	Celerity [™] 20 <u>STEAM</u> Biological Indicators	LCB048	25/box
Abertyn SIEW RET Lesses OTH 124881	Celerity® 20 <u>STEAM</u> Biological Indicator for IUSS	LCB058	25/box
Warr 1995 o	Celerity [™] 20 STEAM Process Challenge Device for Dynamic Air Removal Cycles	LCB049	25 test packs + 5 controls/box
		LCB053	25 test packs +25 controls/box
Generally and the second of th	Celerity [™] 20 STEAM Process Challenge Device for Gravity Cycles	LCB050	25 test packs +25 controls/box
of colors of strength of the s	Celerity [™] STEAM Incubator	LCB051	1 Each
The second secon	Celerity™ Xtend 10 Assembly	LCB054	30 test packs +30 controls/box
TO White black one ASSESS	Celerity [™] 10[STEAM]Chemical Indicator	PCC076	100/box

Visit steris.com/celerity or contact your local Sales Representative for more information.



www.steris.com